

WO2005040671

Title:
**VALVE FOR STERILE SAMPLING OF A LIQUID SAMPLE FROM A
CONTAINER**

Abstract:

A valve for sterile sampling of a liquid sample from a container comprises a valve body (1) with a valve chamber (2). The valve is moreover provided with a sample inlet (6) in the valve chamber (2), a first valve seat (7), a first valve plug (5a) for closing the sample inlet (6) through abutment against a first valve seat (7), an outlet (8) from the valve chamber (2), a cleaning inlet (9) in the valve chamber (2) for disinfection fluid, a second valve seat (10) and a second valve plug (5b). The outlet (8) is positioned between the two valve seats (7, 10), and the second valve seat (10) and the second valve plug (5b) are positioned in such a manner that the second valve plug (5b) through abutment against the second valve seat (10) cuts off the inflow of disinfection fluid in an area (2b) of the valve chamber (2) at the sample inlet (6).

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
6 May 2005 (06.05.2005)

PCT

(10) International Publication Number
WO 2005/040671 A1

(51) International Patent Classification⁷: **F17D 3/10**,
F16K 1/44, G01N 1/20

(21) International Application Number:
PCT/DK2004/000743

(22) International Filing Date: 28 October 2004 (28.10.2004)

(25) Filing Language: Danish

(26) Publication Language: English

(30) Priority Data:
PA 2003 01586 28 October 2003 (28.10.2003) DK

(71) Applicant (for all designated States except US): **KE-OFITT A/S** [DK/DK]; Hans Egedes Vej 19, DK-5210 Odense NV (DK).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **SALOMON, Henrik, Lysgaard** [DK/DK]; Roers Allé 39, DK-5210 Odense NV (DK).

(74) Agents: **JØRGENSEN, Bjørn, Barker** et al.; International Patent-Bureau A/S, Høje Taastrup Boulevard 23, DK-2630 Taastrup (DK).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS,

[Continued on next page]

(54) Title: VALVE FOR STERILE SAMPLING OF A LIQUID SAMPLE FROM A CONTAINER



(57) Abstract: A valve for sterile sampling of a liquid sample from a container comprises a valve body (1) with a valve chamber (2). The valve is moreover provided with a sample inlet (6) in the valve chamber (2), a first valve seat (7), a first valve plug (5a) for closing the sample inlet (6) through abutment against a first valve seat (7), an outlet (8) from the valve chamber (2), a cleaning inlet (9) in the valve chamber (2) for disinfection fluid, a second valve seat (10) and a second valve plug (5b). The outlet (8) is positioned between the two valve seats (7, 10), and the second valve seat (10) and the second valve plug (5b) are positioned in such a manner that the second valve plug (5b) through abutment against the second valve seat (10) cuts off the inflow of disinfection fluid in an area (2b) of the valve chamber (2) at the sample inlet (6).



JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,

LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Published:

- with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.